

-

UTUTAL SAP IL Blinds and shutters

UK Price List (Includes VAT) 1st February 2023 veluxblindsdirect.co.uk

....



Producing high quality VELUX blinds for more than 60 years

Contents

Why VELUX® 4

6

- Our timeless blinds collection
- Nature Collection 8
- 10
- Operation: Select your level of comfort 12
- Intelligent Home Control solutions 14
- 16
- 18
- Roller blinds 24
- 38
- Venetian blinds 44
- 48 Insect screen 50
- 54
- 55

- Combine more products for optimal comfort
- Installation of VELUX blinds
- Heat Protection: Anti-heat blinds and shutters
- Pleated blinds
- Flat roof window blinds
- How to order your new VELUX blinds
- Extras for your blinds and shutters

Why VELUX®

Your VELUX roof windows deserve original blinds and shutters, for a perfect fit, beautiful design and long-lasting performance.

1 Designed and tested for daily life

All VELUX products are **designed and tested for real life**. Our blinds and shutters are rigorously tested by being opened and closed thousands of times and exposed to extreme weather conditions. We pull, tug and squeeze the material to ensure your new blind retains its colour and shape through years of use. When we are happy with the design, our European factories start production.





2 Easy to install and use

Original VELUX blinds and shutters are **tailor-made for your VELUX roof windows**. This means they always fit perfectly and are easy to install – with no measuring or cutting. The elegant and slim frame design **ensures a perfect looking result**, making the blind almost invisible when not in use.

3 Your colours for your home

Enjoy an extensive choice of blind and shutter types in all styles and colours. You can even create your own customised blind with our **Colour by You** collection. And for a choice of side channels, you can now get a clean, all-white look.









4 For safety and sustainability



VELUX blinds have **cordless designs to ensure safety** in your home. And all our interior blinds are **OEKO-TEX® certified** and guaranteed free from harmful substances. VELUX anti-heat shutters have dual functionality by protecting your room from overheating while actively deterring break-ins.



Discover our timeless collection

From traditional loft spaces to modern kitchen extensions, the VELUX blinds collection has an array of colours, designs and features that will suit any interior and room type.

The VELUX blind collection is developed in partnership with leading international trend experts. Choose from a large variety of fabrics and colours in classic or more modern designs.

We offer three different **roller blinds** with flat fabrics, two types of **pleated blinds**, as well as our classic **Venetian blinds**. All varieties come in a range of colours for you to mix or match by choosing different or similar colours across your rooms and blind types. Your choice of blind depends entirely on your personal style, the room type, and whether you are looking to create a complete blackout or light dimming effect.

Customise the colour of your blind If you cannot find the exact colour to match your interior, the Colour by You collection gives you thousands of additional colours to choose from.

Read more on page 31 or at veluxblindsdirect.co.uk/colour







Clean all-white look

VELUX blinds are available with high-quality side channels in your choice of either brushed or white painted aluminium.

Brushed aluminium works exceptionally well with our lacquered wood finish roof windows while the white painted channels become almost invisible when paired with white VELUX roof windows. Furthermore, thanks to their UV-protection, the bright white will stay unaffected by sunlight.

The side channels are easy to install and designed to complement your VELUX roof windows beautifully.

Blackout or translucent blinds?

Blackout blinds will block any incoming light, making them a preferred choice for bedrooms and children's rooms where darkness is needed for a good night's sleep. Translucent blinds allow a dimmed light to enter the room while effectively preventing glare. Translucent blinds are suitable for many room types like living rooms, home offices and game rooms.



More natural by design

Blinds that bring the feeling of nature into your home

Our new Nature Collection of roller blinds come in a range of colours that give the feeling of bringing the peace and tranquility of nature directly into your home.

Designed for maximum light control, perfect fit and long-lasting performance, they are the natural choice for getting the most out of your VELUX roof windows.

They are certified Standard 100 and STeP by OEKO-TEX® (1076-184 DTI) and are primarily made from recycled materials – which halves their carbon footprint compared with other collections – because it's our nature.

Join us on our sustainability journey. Read more about the collection on page 32.

Nature Collection blinds available March 2023.

Blackout roller blind (DKY)



Translucent roller blind (RFY)



ß Choose an exterior $\cdot \cdot$. product for heat protection See more on page 18

Pick your interior blind • for light control See more from page 24 onwards

-Aler

Add an interior insect . screen for further comfort

See more on page 48

for optimal comfort Pair your blinds with external anti-heat blinds or shutters

VELUX Blinds and shutters 2023 Collection

.0

.0

Combine more products

Buy your interior blind and anti-heat blind together and save 10%*

See more on page 46

Select your level of comfort From manual to fully automated blinds and shutters

Î

Enjoy seamless remote control with VELUX **solar or electric** blinds and shutters

Manual operation

Simple hands-on solution

Your manual VELUX blinds come with a clever and discreet control bar that lets you adjust the blind comfortably.

The blinds run smoothly and can be positioned anywhere on the roof window.

Remote-controlled

Smarter controls with VELUX solar or electric blinds and shutters Choose VELUX solar or electric blinds and shutters to simplify your home living. These products come with a ready-to-use wall switch for remote operation. And they can easily be upgraded with a range of Intelligent Home Control solutions to cover everyone's needs.

- Select electric VELUX blinds and shutters for your electric VELUX roof windows.

Intelligent Home Control

Let Intelligent Home Control take care of your indoor climate Unlock the full potential of your solar or electric blinds and shutters with VELUX Intelligent Home Control solutions.

.....

VELUX Touch makes it easy to control multiple VELUX solar or electric roof windows, blinds and shutters, with no dependency on Wi-Fi.

VELUX App Control lets you control your VELUX solar or electric products right from your phone - at home or on the go.

VELUX ACTIVE with NETATMO automatically improves your indoor climate and offers seamless control of your VELUX solar or electric products by smartphone or voice commands. To shield your home from excessive heat, you can simply let the system rely on the built-in indoor climate sensors and live weather forecast for automatic operation of your anti-heat blinds and shutters.

See more on page 14 or at velux.co.uk/smarthome

Ŵ

Upgrade your solar or electric blinds and shutters with VELUX **Intelligent Home Control** solutions for smartphone control and fully automated heat protection

Everyday home improvement with Intelligent Home Control

Unlock the full potential of your solar or electric blinds and shutters with VELUX Intelligent Home Control – the range of smart control solutions that empowers you to take control of your indoor comfort with ease, while enjoying the full benefits of daylight and fresh air.

Read more at velux.co.uk/smarthome





We spend 90% of our time indoors

VELUX exterior heat protection products reduce heat by up to 95%

Daylight increases children's learning ability by up to



Installing your genuine VELUX blinds is easier than you think

Install your genuine VELUX blinds in 15 minutes

Installing VELUX blinds requires no measuring, trimming, cutting or extra tools. They are made for a perfect fit and everything you need is included in the box.

No need to measure

You can find your roof window's type and size on the roof window sash – see how on page 54. Then you can be sure that your new blind fits your roof window perfectly without having to take any measurements.



No need to cut or trim – just click on

Your VELUX roof windows have pre-installed mounting brackets for your blinds. Simply click on the original VELUX blind and add the side channels provided.

Easily replace your old blinds

It is straightforward to replace tired blinds with new ones from VELUX. You can still order blinds that fit almost every generation of VELUX roof window.

outside of your roof windows with VELUX

Block the heat on the Heat Protection products and keep your home cool on hot days and nights

Outdoor protection, indoor comfort

Our wide range of VELUX Heat Protection products effectively help you to protect your home from overheating, so you can enjoy a comfortable indoor temperature on even the hottest days or nights. All products can be installed from the inside by yourself or an installer. Discover the blind or shutter that best meets the needs for your home.







Anti-heat blackout shutter Heat protection, blackout and insulation See more on page 21

F	Heat protection	•	•	•	•
ÿ	Blackout	•	•	•	•
₩	Insulation	•	•		
ઉ	Noise reduction	•	•	•	
ſ	Prevents burglary	•	٠	•	

Anti-heat blackout blind Heat protection and blackout

See more on page 22

ŀ	Heat protection	•	•	•	
ÿ	Blackout	•	•	•	
*	Insulation	•			
Ę	Noise reduction	•	•	•	
A	Prevents burglary	•			

Anti-heat blind Heat protection and transparency See more on page 23 le Heat protection

0	ficat protection		Ŭ.,	-	
ÿ	Blackout				
₩	Insulation				
Ę	Noise reduction	•	•	•	

Prevents burglary





Anti-heat blackout shutter

Take full control of your indoor comfort with the superior heat protection and blackout offered by VELUX anti-heat blackout shutters. The ideal choice for complete year-round protection. The sturdy aluminium shield exterior offers the very best outdoor protection.

· Best heat protection and sun screening

• All-in-one protection

- Total blackout
- Effective winter insulation • Rain noise reduction • Effective protection of window and
- from break-ins • Available in solar and electric versions with app and remote control
- Can be combined with a decorative interior blind and an insect screen

Most windo	sold ow sizes	CK01 C01					FK06 F06
Sizes	(w×h) cm	55×70	55×78	55×98	55×118	78×98	66×118
- <u>¦</u>	Solar SSL	604.80	604.80	646.80	667.20	687.60	694.80
₿₽	Electric SML	454.80	454.80	486.00	501.60	517.20	522.00
₿₽	Electric SMH*	-	-	-	-	-	730.80
Winde	ow size (wxh) in cm:				F K06 7×118	FFK08	FMK0
-ÿ\$	Solar SSLS for 3in1 and 2	2in1		1,46	61.60 1	1,521.60	1,453.2

* SMH is designed for VELUX electric top-hung roof windows. KUX 110 control system is needed if you install a SML to a manually operated VELUX roof window. SSL installed on VELUX solar GGL/GGU in widths B---, C--- & F---, a ZOZ 246 kit is needed. 2in1 sizes available from March 2023.



Indoor climate

Heat protection, blackout and insulation

ß	Heat protection	٠	•	•	•
Ÿ	Blackout	•	•	•	٠
₩	Insulation	•	•		
ঙ্	Noise reduction	•	•	٠	
ſ	Prevents burglary	•	•	٠	

Intelligent Home Control

 Combine your VELUX solar and electric product with our Intelligent Home Control solutions for multiple product operation, scheduling and automation

Read more on page 14.

)6)6	5	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08	
18	70×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140	
30	694.80	722.40	763.20	832.80	825.60	838.80	742.80	866.40	969.60	
00	522.00	543.60	573.60	626.40	620.40	631.20	558.00	651.60	729.60	
30	-	760.80	804.00	-	868.80	883.20	-	-	-	
(06			PK06 5×118	FPK08 155×140	MMK0			FKF06 8×118	FFKF08 188×140	
8.20) 1,524	.00 1,5	14.40 1	,586.40	1,483.20	0 1,567	7.20 2,1	92.40	2,282.40	



Anti-heat blackout blind

Beat the heat with this effective combination. VELUX anti-heat blackout blinds block heat and light, and are ideal for those who want to keep comfortable indoors on hot days and sleep better on warm nights.

- Effective combination
- Great heat protection

Mostcold

- Blocks out light
- Rain noise reduction

01/07

- Tough, durable polyester fabric
- Available in solar version with remote control
- Install from inside with or without professional help • Can be combined with a decorative
- interior blind and an insect screen

MKOA

FK04

MKOG

MKOO

111/04

window sizes	C01	C02	C04		M04	F06	M06	M08	U04	P08	S06	P04	P10	U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	78×98	66×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140
	432.00	432.00	462.00	476.40	490.80	496.80	516.00	544.80	594.00	589.20	600.00	530.40	619.20	692.40
		F	FK06	FFK08	FMK06	FMK	08 I	PK06	FPK08	ММК0	6 MMI	(08 F	FKF06	FFKF08
Sizes (w×h) cm		12	7×118	127×140	139×118	139×	140 15	55×118	155×140	151×11	8 151×	140 18	38×118	188×140
		99	93.60	1,032.00	1,012.80	1,060	.80 1,0)57.20	1,105.20	1,032.0	0 1,089	0.60 1,4	490.40	1,548.00

For old VELUX roof window generations (VES), a ZOZ 238 installation kit set is needed. For VELUX electric GPU roof windows, a ZOZ 229S kit is needed. For VELUX solar GGL/GGU in widths B---, C--- & F---, a ZOZ 246 kit is needed. 2in1 sizes available from March 2023.



Indoor climate

• Heat protection and blackout

ß	Heat protection	٠	•	٠	
4	Blackout	•	•	•	
₩	Insulation	٠			
Ę	Noise reduction	•	•	•	
JA	Prevents burglary	•			

Intelligent Home Control

· Combine your VELUX solar and electric product with our Intelligent Home Control solutions for multiple product operation, scheduling and automation

Read more on page 14.





Anti-heat blind

Keep your indoors cool and comfortable all day with VELUX anti-heat blinds that block incoming heat before it ever hits your VELUX roof windows. The ideal choice for home offices or living rooms where you want cooler temperatures and reduced glare on sunny days.

- Effective heat reduction
- Transparent fabric lets in light and retains the view to the outside
- Rain noise reduction
- Available in solar and electric versions with app and remote control • Easy installation from inside
- Can be combined with a decorative interior blind and an insect screen

Most windo	sold w sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	MK04 M04	FK06 F06
Sizes ((w×h) cm	55×70	55×78	55×98	55×118	78×98	66×118
-ÿ\$	Solar MSL	381.60	381.60	408.00	422.40	434.40	439.20
₿₽	Electric MML	340.80	340.80	364.80	376.80	388.80	391.20
Ů	Manual MHL	62.40	62.40	62.40	62.40	76.80	72.00

	FFK06	FFK08	FMK
Sizes (w×h) cm	127×118	127×140	139×]
Solar MSLS for 3in1 and 2in1	878.40	912.00	895.

For old VELUX roof window generations (VES), a ZOZ 238 installation kit set is needed. For VELUX electric GPU roof windows, a ZOZ 229S kit is needed. MSL installed on VELUX solar GGL/GGU in widths B---, C--- & F---, a ZOZ 246 kit is needed.

2in1 sizes available from March 2023.

VELUX Blinds and shutters 2023 Collection

All prices in GBP (£). Prices shown is incl. VAT.



Indoor climate

• Heat protection and transparency

Ŀ	Heat protection	٠	٠	•	
ÿ	Blackout				
*	Insulation				
Ę	Noise reduction	٠	•	•	
ſ	Prevents burglary				

Intelligent Home Control

• Combine your VELUX solar and electric product with our Intelligent Home Control solutions for multiple product operation, scheduling and automation

Read more on page 14.

)6)6	5	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08
18	70×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140
20	-	456.00	482.40	525.60	520.80	530.40	470.40	547.20	612.00
20	-	408.00	429.60	470.40	465.60	472.80	420.00	489.60	547.20
00	79.20	76.80	76.80	108.00	88.80	100.80	88.80	88.80	108.00
(06	FMK	(08 F	РК06	FPK08	MMK0	6 MMH	(08 FF	KF06	FFKF08
(118	139×	140 15	5×118	155×140	151×11	8 151×	140 18	8×118	188×140
5.20	938	.40 9	33.60	976.80	912.0	0 964	.80 1,3	317.60	1,368.00

Set the scene for daytime living and restful nights with VELUX roller blinds





Translucent roller blind

VELUX translucent roller blinds provide basic privacy whilst still allowing in natural light. Perfect for living rooms, offices and playrooms.

- Softens incoming light and provides privacy
- Available with white or brushed aluminium side channels
- Available in solar, electric or manual operation
- Combine with an exterior shutter or anti-heat blind for effective heat protection. Read more on page 20

Colour options Standard colours



Installation

• Quick and easy installation with patented mounting brackets

Intelligent Home Control

Combine your VELUX solar and electric product with our Intelligent Home Control solutions for multiple product operation, scheduling and automation

Read more on page 14.

Certifications

- Standard 100 by OEKO-TEX® (1076-184 DTI)
 contains no harmful substances
 STeP by OEKO-TEX®
- sustainable textile production

Most windo	sold ow sizes		CK01 C01	CK02 C02	СКО4 СО4	CK06 C06	MK04 M04	FK06 F06	5	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08
Sizes	(w×h) cm		55×70	55×78	55×98	55×118	78×98	66×118	70×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140
- <u>\</u>	Solar	Standard	187.20	187.20	194.40	204.00	206.40	208.80	208.80	213.60	220.80	244.80	235.20	240.00	220.80	244.80	264.00
	RSL	Trend	201.60	201.60	208.80	218.40	220.80	223.20	223.20	228.00	235.20	259.20	249.60	254.40	235.20	259.20	278.40
#	Electric	Standard	177.60	177.60	184.80	194.40	196.80	199.20	199.20	204.00	211.20	235.20	225.60	230.40	211.20	235.20	254.40
9V	RML	Trend	192.00	192.00	199.20	208.80	211.20	213.60	213.60	218.40	225.60	249.60	240.00	244.80	225.60	249.60	268.80
۵.	Manual	Standard	81.60	81.60	88.80	98.40	100.80	103.20	103.20	108.00	115.20	139.20	129.60	134.40	115.20	139.20	158.40
\mathbb{P}	RFL	Trend	96.00	96.00	103.20	112.80	115.20	117.60	117.60	122.40	129.60	153.60	144.00	148.80	129.60	153.60	172.80

KUX 110 control system is needed if you install a RML to a manually operated VELUX roof window. To order the blind with white side channels, simply add WL to the end of your product code.







Blackout roller blind

The VELUX blackout roller blind offers blackout for darkness anytime. Ideal for bedrooms to ensure a good night's sleep or daytime nap.

- Fabric offers complete blackout
- Available with white or brushed aluminium side channels
- Available in solar, electric or manual operation
- Combine with an exterior shutter or anti-heat blind for effective heat protection. Read more on page 20

Most windo	sold ow sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	MK04 M04	FK06 F06	5	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08
Sizes	(w×h) cm		55×70	55×78	55×98	55×118	78×98	66×118	70×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140
-22	Solar	Standard	187.20	187.20	194.40	204.00	206.40	208.80	208.80	213.60	220.80	244.80	235.20	240.00	220.80	244.80	264.00
Ϋ́Υ	DSL	Trend	201.60	201.60	208.80	218.40	220.80	223.20	223.20	228.00	235.20	259.20	249.60	254.40	235.20	259.20	278.40
щ	Electric	Standard	177.60	177.60	184.80	194.40	196.80	199.20	199.20	204.00	211.20	235.20	225.60	230.40	211.20	235.20	254.40
₿₽	DML	Trend	192.00	192.00	199.20	208.80	211.20	213.60	213.60	218.40	225.60	249.60	240.00	244.80	225.60	249.60	268.80
ւՈՒ	Manual	Standard	81.60	81.60	88.80	98.40	100.80	103.20	103.20	108.00	115.20	139.20	129.60	134.40	115.20	139.20	158.40
G	DKL	Trend	96.00	96.00	103.20	112.80	115.20	117.60	117.60	122.40	129.60	153.60	144.00	148.80	129.60	153.60	172.80

KUX 110 control system is needed if you install a DML to a manually operated VELUX roof window. To order the blind with white side channels, simply add WL to the end of your product code.

Colour options Standard colours



Installation

• Quick and easy installation with patented mounting brackets

Intelligent Home Control

Combine your VELUX solar and electric product with our Intelligent Home Control solutions for multiple product operation, scheduling and automation

Read more on page 14.

Certifications

- Standard 100 by OEKO-TEX® (1076-184 DTI)

 contains no harmful substances

 STeP by OEKO-TEX®
- sustainable textile production



Duo blackout roller blind

The VELUX duo blackout roller blind is a blackout roller and a translucent pleated blind in one. Choose any colour blackout roller blind combined with a white translucent pleated blind.

- Two ways to control light in one solution blackout the room or soften incoming light
- Choose any colour blackout roller blind combined with white pleated blind (1016)
- Available with white or brushed aluminium side channels
- Available with manual operation
- Combine with an insect screen to keep insects from bugging your sleep. Read more on page 48

Standard colours 1085 1025 1100 0705 Trend colours 4574 4564 4559 3009 4578 4577 4576 4575

Colour options

Always combined with white translucent pleated blind (1016)

4581

4556

Installation

4579

• Quick and easy installation with patented mounting brackets

Certifications

- Standard 100 by OEKO-TEX® (1076-184 DTI) contains no harmful substances

4580

 STeP by OEKO-TEX[®] - sustainable textile production

Most windo	sold ow sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	MK04 M04	FK06 F06	5	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08
Sizes	(w×h) cm		55×70	55×78	55×98	55×118	78×98	66×118	70×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140
ſſħ	Manual	Standard	108.00	108.00	115.20	127.20	132.00	134.40	134.40	141.60	151.20	180.00	168.00	175.20	148.80	180.00	206.40
9	DFD	Trend	122.40	122.40	129.60	141.60	146.40	148.80	148.80	156.00	165.60	194.40	182.40	189.60	163.20	194.40	220.80

To order the blind with white side channels, simply add WL to the end of your product code.

All prices in GBP (£). Prices shown is incl. VAT.

The Colour by You Collection lets you choose from thousands of colours to create the perfect blind to match your interior. Get inspired with our colour customisation tool at veluxblindsdirect.co.uk

The Colour by You Collection is available for translucent roller blinds, blackout roller blinds and duo blackout roller blinds – all with a choice of all white or brushed aluminium side channels.



Most : windo	sold w sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	MK04 M04	FK06 F06	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08
Sizes ((w×h) cm		55×70	55×78	55×98	55×118	78×98	66×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140
~ <u>`</u>	Cala	RSL	201.60	201.60	208.80	218.40	220.80	223.20	228.00	235.20	259.20	249.60	254.40	235.20	259.20	278.40
- <u>¦</u>	Solar	DSL	201.60	201.60	208.80	218.40	220.80	223.20	228.00	235.20	259.20	249.60	254.40	235.20	259.20	278.40
#P	Fleetsie	RML	192.00	192.00	199.20	208.80	211.20	213.60	218.40	225.60	249.60	240.00	244.80	225.60	249.60	268.80
ЧГ	Electric	DML	192.00	192.00	199.20	208.80	211.20	213.60	218.40	225.60	249.60	240.00	244.80	225.60	249.60	268.80
		RFL	96.00	96.00	103.20	112.80	115.20	117.60	122.40	129.60	153.60	144.00	148.80	129.60	153.60	172.80
Ů	Manual	DKL	96.00	96.00	103.20	112.80	115.20	117.60	122.40	129.60	153.60	144.00	148.80	129.60	153.60	172.80
		DFD	122.40	122.40	129.60	141.60	146.40	148.80	156.00	165.60	194.40	182.40	189.60	163.20	194.40	220.80

Electric RML and DML as well as solar RSL and DSL can be combined with Intelligent Home Control solutions for multiple product operation, scheduling and automation. Read more about these solutions on page 14.





- Quick and easy installation on VELUX roof windows.
- OEKO-TEX® Standard 100 certified (1076-184 DTI) contains no harmful substances (\mathcal{Y})
- l-safe design eliminates Jling cords to improve safet
- ie your VELUX solai tion scheduli







Translucent roller blind RFY

Blackout roller blind DKY

Nature Collection

For design and environmentally conscious consumers, our new Nature Collection blinds come in a range of colours that allow you to bring the peace and tranquility of nature directly into your home. Primarily made from recycled materials, which halves their carbon footprint compared with other collections, they are the natural choice for getting the most out of your VELUX roof windows.

Blackout roller blind DKY

• Blackout – fabric offers complete blackout

Translucent roller blind RFY

• Softens incoming light and provides privacy

Blackout roller blind DKY and Translucent roller blind RFY

- Available with white or brushed aluminium side channels
- Available with manual operation
- Combine with an exterior shutter or anti-heat blind for effective heat protection. Read more on page 20

Most wind	sold ow sizes		CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08
Sizes	(w×h) cm		55×78	55×98	55×118	66×118	78×98	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140
P	Manual operation	DKY	96.00	103.20	112.80	117.60	115.20	122.40	129.60	153.60	144.00	148.80	129.60	153.60	172.80
Ø	Manual operation	RFY	96.00	103.20	112.80	117.60	115.20	122.40	129.60	153.60	144.00	148.80	129.60	153.60	172.80

To order the blind with white side channels, simply add WL to the end of your product code. Available from March 2023.

Colour options

Blackout roller blind DKY



Clouds 4951	
Woods 4953	

Dunes 4952

	-
Cliffe	

Cliffs 4954

Installation

• Quick and easy installation with patented mounting brackets

Certifications

- Standard 100 by OEKO-TEX[®] (1076-184 DTI) - contains no harmful substances
 STeP by OEKO-TEX®
- sustainable textile production

All prices in GBP (£). Prices shown is incl. VAT.

Roller blinds





Children's Collection

The greatest adventures start with a good night's sleep. VELUX Children's Collection blinds are inspirational and cheerful designs made for children's rooms. Available as blackout blind or as duo blackout blind that combines blackout and light dimming in one solution.

Blackout roller blind DKL

• Blackout - blocks out all light

Duo blackout roller blind DFD

- Two ways to control light in one solution blackout the
- room completely or soften incoming light Choose any Children's Collection blackout roller blind combined with white pleated blind (1016)

Blackout roller blind DKL and Duo blackout roller blind DFD

- Available with white or brushed aluminium side channels
- Available with manual operation
- Combine with an insect screen to keep insects from bugging your sleep. Read more on page 48

Most windo	sold ow sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	MK04 M04	FK06 F06	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	РК04 Р04	PK10 P10	UK08 U08
Sizes	(w×h) cm		55×70	55×78	55×98	55×118	78×98	66×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140
ᠿ	Manual	DKL	96.00	96.00	103.20	112.80	115.20	117.60	122.40	129.60	153.60	144.00	148.80	129.60	153.60	172.80
Ø	operation	DFD	122.40	122.40	129.60	141.60	146.40	148.80	156.00	165.60	194.40	182.40	189.60	163.20	194.40	220.80

To order the blind with white side channels, simply add WL to the end of your product code.

Colour options



Installation

Quick and easy installation with patented mounting brackets

Certifications

- Standard 100 by OEKO-TEX® (1076-184 DTI)

 contains no harmful substances

 STeP by OEKO-TEX®

 sustainable textile production







A (1)

Basic blackout blind

The VELUX basic blackout blind is the perfect solution for roof windows manufactured before 2014. Ideal if you simply want to replace your old blind with a cost-effective solution.

- Blackout effect
- Stepless positioning
 Only available for VELUX roof windows manufactured before 2014
- Available in 4 colours and comes with a 2-year guarantee
- OEKO-TEX® Standard 100
 certified (1076-184 DTI)
 contains no
 harmful substances.

Child-safe design eliminates dangling cords to improve safety.

Most sold window sizes Sizes (w×h) cm	CO2 55×78	C04 55×98	F06 66×118	M04 78×98	M06 78×118	M08 78×140	P08 94×140	S06 114×118	U04 134×98	U08 134×140
Manual operation, DBL	57.60	62.40	72.00	69.60	76.80	81.60	91.20	93.60	98.40	110.40



VELUX pleated blinds A stylish layer of privacy that either softens or blocks daylight entirely





Translucent pleated blind

The VELUX translucent pleated blind is a decorative solution that provides privacy whilst diffusing soft natural light into your room. Adjust the blind from both the top and the bottom of the roof window* to let in exactly the right amount of light.

- Softens incoming light and provides privacy
- A flying blind design that can be placed anywhere on the roof window*
- Available with white or brushed aluminium side channels
- Available in solar, electric or manual operation
- Combine with an exterior shutter or anti-heat blind for effective heat protection. Read more on page 20

Colour options Standard colours



Installation

• Quick and easy installation with patented mounting brackets

Intelligent Home Control

• Combine your VELUX solar and electric product with our Intelligent Home Control solutions for multiple product operation, scheduling and automation

Read more on page 14.

Certifications

- Standard 100 by OEKO-TEX® (1076-184 DTI)
- contains no harmful substances STeP by OEKO-TEX[®]
- sustainable textile production

Most windo	sold ow sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	MK04 M04	FK06 F06	5	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08
Sizes	(w×h) cm		55×70	55×78	55×98	55×118	78×98	66×118	70×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140
-22	Solar	Standard	201.60	201.60	208.80	218.40	220.80	225.60	225.60	230.40	240.00	266.40	254.40	261.60	237.60	264.00	288.00
Ϋ́Υ	FSL	Trend	216.00	216.00	223.20	232.80	235.20	240.00	240.00	244.80	254.40	280.80	268.80	276.00	252.00	278.40	302.40
<i>щ<u>л</u></i>	Electric	Standard	192.00	192.00	199.20	208.80	211.20	216.00	216.00	220.80	230.40	256.80	244.80	252.00	228.00	254.40	278.40
\mathcal{A}	FML	Trend	206.40	206.40	213.60	223.20	225.60	230.40	230.40	235.20	244.80	271.20	259.20	266.40	242.40	268.80	292.80
۳b	Manual	Standard	96.00	96.00	103.20	112.80	115.20	120.00	120.00	124.80	134.40	160.80	148.80	156.00	132.00	158.40	182.40
Ø	FHL	Trend	110.40	110.40	117.60	127.20	129.60	134.40	134.40	139.20	148.80	175.20	163.20	170.40	146.40	172.80	196.80

KUX 110 control system is needed if you install a FML to a manually operated VELUX roof window. To order the blind with white side channels, simply add WL to the end of your product code. * Manual version only

E CARGET / E







Blackout energy pleated blind

VELUX blackout energy pleated blinds provide both blackout and insulation. Perfect for bedrooms that need blackout at night and extra insulation. Adjust the blind from both the top and the bottom of the roof window* to let in exactly the right amount of light.

- Blackout for a great night's sleep or a nap during the day
- Insulation for increased comfort
- A flying blind design that can be placed anywhere on the roof window*
- Available with white or brushed aluminium side channels
- Available in solar, electric or manual operation
- Combine with an insect screen to keep insects from bugging your sleep. Read more on page 48

Most windo	sold ow sizes		CK01 C01	CK02 C02	СК04 С04	CK06 C06	MK04 M04	FK06 F06	5	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08
Sizes	(w×h) cm		55×70	55×78	55×98	55×118	78×98	66×118	70×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140
-2420	Solar	Standard	213.60	213.60	220.80	232.80	237.60	240.00	240.00	247.20	256.80	285.60	273.60	280.80	254.40	285.60	312.00
ЧY	FSC	Trend	228.00	228.00	235.20	247.20	252.00	254.40	254.40	261.60	271.20	300.00	288.00	295.20	268.80	300.00	326.40
₿¢	Electric	Standard	204.00	204.00	211.20	223.20	228.00	230.40	230.40	237.60	247.20	276.00	264.00	271.20	244.80	276.00	302.40
ЧL	FMC	Trend	218.40	218.40	225.60	237.60	242.40	244.80	244.80	252.00	261.60	290.40	278.40	285.60	259.20	290.40	316.80
ጠ	Manual	Standard	108.00	108.00	115.20	127.20	132.00	134.40	134.40	141.60	151.20	180.00	168.00	175.20	148.80	180.00	206.40
\mathbb{P}	FHC	Trend	122.40	122.40	129.60	141.60	146.40	148.80	148.80	156.00	165.60	194.40	182.40	189.60	163.20	194.40	220.80

KUX 110 control system is needed if you install a FMC to a manually operated VELUX roof window. To order the blind with white side channels, simply add WL to the end of your product code. * Manual version only

Colour options Standard colours



Installation

• Quick and easy installation with patented mounting brackets

Intelligent Home Control

• Combine your VELUX solar and electric product with our Intelligent Home Control solutions for multiple product operation, scheduling and automation

Read more on page 14.

Certifications

- Standard 100 by OEKO-TEX® (1076-184 DTI)
- contains no harmful substances
 STeP by OEKO-TEX®
- sustainable textile production



VELUX **Venetian blinds** The smart choice for kitchens and bathrooms



Venetian blind

VELUX Venetian blinds are a classic solution for light dimming and privacy. They are perfectly suited to humid areas such as bathrooms and kitchens.

- Moisture resistant
- Easy to clean
- Preserves your view while providing privacy
- Cordless operation
- · Available with white or brushed aluminium side channels
- Available with manual operation

Most windo	sold ow sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	MK04 M04	FK06 F06	5	MK06 M06	MK08 M08	UK04 U04	PK08 P08	SK06 S06	PK04 P04	PK10 P10	UK08 U08
Sizes	(w×h) cm		55×70	55×78	55×98	55×118	78×98	66×118	70×118	78×118	78×140	134×98	94×140	114×118	94×98	94×160	134×140
ſſħ.	Manual PAL	Standard	108.00	108.00	115.20	127.20	132.00	134.40	134.40	141.60	151.20	180.00	168.00	175.20	148.80	180.00	206.40
0		Trend	122.40	122.40	129.60	141.60	146.40	148.80	148.80	156.00	165.60	194.40	182.40	189.60	163.20	194.40	220.80

To order the blind with white side channels, simply add WL to the end of your product code.

Colour options

Standard colour



Trend colours



7057



7062



7064

7063

7065

Installation

Quick and easy installation with patented mounting brackets

Details

• Unique and discreet tilt mechanism makes it very easy to tilt the slats



- an interior blind to control light combined with an exterior anti-heat blind to protect your room from overheating. Combination packages also save you 10% compared to buying the products separately.

*Only available on Standard (not Trend) colours. No promotional code required. Discount will be applied automatically.







Combine products and save money

VELUX combination packages bring you the best of both worlds



Heat protection plus blackout

Anti-heat blind + Blackout roller blind

Heat protection, blackout plus insulation

Anti-heat blind + Blackout energy pleated blind



Heat protection plus light control

Anti-heat blind + Translucent roller blind

Let the light in while keeping the bugs out with VELUX insect screen



Insect screen

VELUX insect screens let you enjoy fresh air without the unwanted visitors. The screen is simple to operate, and can be combined with any other VELUX interior or exterior blind. It has transparent net fabric and stows neatly away in the slim top casing when not in use.

- 100% insect-proof material
- Transparent net fabric does not obstruct your view
- Durable, wind-resistant fabric for long-lasting performance
- Standard 100 by OEKO-TEX[®] (1076-184 DTI) contains no harmful substances
- STeP by OEKO-TEX[®] sustainable textile production

		r			- A -			1
Ŧ		0-438 mm	439-530 mm	531-640 mm	641-760 mm	761-922 mm	923-1120 mm	1121-1285 mm
	0-1600 mm	ZIL BK04	ZIL CK02	ZIL FK08	ZIL MK06	ZIL PK25	ZIL SK06	ZIL UK04
	0-1000 IIIII	123.60	115.20	152.40	152.40	186.00	189.60	194.40
B	1/01 0000	SPECIAL ORDER	ZIL CK06	ZIL FK08	ZIL MK06	ZIL PK06	ZIL SK06	ZIL UK10
D	1601-2000 mm	-	136.80	152.40	152.40	166.80	189.60	234.00
	2001 0400	SPECIAL ORDER	SPECIAL ORDER	ZIL FK08	ZIL MK10	ZIL PK10	ZIL SK10	ZIL UK10
	2001-2400 mm	-	-	152.40	182.40	193.20	219.60	234.00

			П	Т	П	
		П	П		П	
			П			Т
			П		П	
			П			T
			П		П	
			П			Т
			П		П	
			П			Т

Determine the correct size

- Measure the inner wall width (A) and height (B) to find the size code and price of your insect screen in the table below
- If you have two heights (B) or heights above 2400 mm - two insect screens and one connector set ZOZ 157 SWL are needed
- IMPORTANT: Insect screen size codes may differ from window size code, please measure (A) and (B) and find correct size code in the table below before ordering

Installation

• Quick and easy installation







Anti-heat blind (MSII)



Blackout blind (DSU)



4550



0000

New generation

For curved and flat glass rooflights

Anti-heat blind

VELUX anti-heat blinds provide light dimming and heat protection to maintain a cool and comfortable room. The blind is discreetly placed inside the rooflight, and is easily installed from the roof when installing the rooflight.

- Reduces overheating
- Semi-transparent fabric for light control and sky view
- Solar-powered blind with remote control
- Not compatible with blackout blind

Blackout blind

VELUX blackout blind for glass rooflights blocks outside light for total darkness, anytime and is perfect for bedrooms. It is discreetly placed inside the rooflight and easily installed from the roof when installing the rooflight.

- Perfect sleep day or night
- 99.9% blackout
- Great for bedrooms and media rooms
- Solar-powered blind with remote control
- Not compatible with anti-heat blind

Insect screen

VELUX insect screen for glass rooflights lets you enjoy fresh air and a view to the sky without any insects. It comes in a contemporary white design, and is easy to install and simple to remove for cleaning.

- Fresh air and 100% insect-proof
- Durable, transparent net fabric does
- not obstruct your view • Can be combined with an anti-heat
- blind or a blackout blind
 - Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
 - STeP by OEKO-TEX[®] sustainable textile production



			060060	080080	090060	090090	100100	120090	120120	150080	150100	150120	150150	200060	200100
Sizes	(w×h) cm		60×60	80×80	90x60	90×90	100×100	120x90	120×120	NEW 150×80	150×100	NEW 150×120	150×150	NEW 200×60	200×100
-ÿ\$	Solar MSU	Anti-heat blind	362.40	378.00	369.60	385.20	393.60	412.80	429.60	405.60	433.20	448.80	492.00	440.40	516.00
-ÿ\$	Solar DSU	Blackout blind	362.40	378.00	369.60	385.20	393.60	412.80	429.60	405.60	433.20	448.80	492.00	440.40	516.00
₿	Manual insect screen ZIU	Insect screen	82.80	86.40	85.20	88.80	90.00	94.80	98.40	93.60	99.60	103.20	112.80	100.80	118.80

Solar MSU and DSU can be combined with our Intelligent Home Control solutions for multiple product operation, scheduling and automation. Read more about these solutions on page 14. New sizes available from autumn 2023.



Anti-heat blind



Translucent pleated blind



Blackout energy pleated blind



For dome with glazing*

Anti-heat blind

VELUX anti-heat blind provides light dimming and heat protection so your indoor temperature stays cool and comfortable. This makes it perfect for living rooms with activity during the day. It is easy to install from the inside.

- Reduces solar heating
- Semi-transparent fabric lets in natural light
- Available in solar-powered operation with app and remote control

Translucent pleated blind

VELUX pleated blind for flat roof windows provides soft daylight control in a decorative folding design. It is the perfect choice for living rooms with activity during the day.

- Softly diffuses incoming natural light
- Available in electric operation with app
- and remote control
- Standard 100 by OEKO-TEX® (1076-184 DTI) – contains no harmful substances
- STeP by OEKO-TEX[®] sustainable textile production

Blackout energy pleated blind

VELUX blackout energy pleated blind for flat roof windows darkens the room and protects against cold. This makes it the ideal choice for bedrooms and living rooms.

- Light dimming and insulating effect
- Available in solar-powered and electric
- operation with app and remote control • Standard 100 by OEKO-TEX®
- (1076-184 DTI) contains no harmful substances
- STeP by OEKO-TEX[®] sustainable textile production



			060060	060090	080080	090090	100100	090120	120120	100150	150150
Sizes	(w×h) cm		60×60	60x90	80×80	90×90	100×100	90x120	120×120	100×150	150×150
-;;;{A	Solar MSG	Anti-heat blind	342.00	349.20	356.40	364.80	368.40	379.20	386.40	393.60	-
- <u>\</u>	Solar FSK	Blackout energy pleated blind	337.20	344.40	351.60	358.80	362.40	373.20	381.60	388.80	457.20
₿₽	Electric FMK	Blackout energy pleated blind	314.40	320.40	327.60	334.80	337.20	348.00	354.00	361.20	426.00
₿	Electric FMG	Translucent pleated blind	304.80	310.80	318.00	324.00	327.60	337.20	344.40	350.40	-

* Also compatible with curved and flat glass roof windows bought before April 2022.

All prices in GBP (£). Prices shown is incl. VAT.

Solar MSG is not compatible with ISD 2093. Solar MSG and FSK and electric FMG and FMK can be combined with our Intelligent Home Control solutions for multiple product operation, scheduling and automation. Read more about these solutions on page 14.

Order your new VELUX blind or shutter in five easy steps

1
Locate your roof
window type and size

Find your roof window type and size by checking the type sign placed either on the left or right side of the roof window sash when it is open.

See picture below for placement of type sign. Select blind or shutter type

2

Decide on the type of blind or shutter: blackout, light adjustment, heat protection, etc.

Select solar, electric or manual operation, depending on the placement and type

3

Select operation

of roof window.

4		

Select colour

Each of our blind colours has its own colour code, which you can see on the respective blind pages.

You can order free fabric samples at veluxblindsdirect.co.uk

Please note: precise colour may vary from the printed samples



5

Order on veluxblindsdirect.co.uk or by speaking to one of our dealers or a customer service representative.



Rod control ZCZ 080 80 cm ZCT 200 telescopic

100-180 cm

Installation kit

Z0Z 238

£36.00

£16.80

Adaptor for manual blinds with control bars supports easy operation with the rod.

Z0Z 085

The rod makes it easy to operate out-of-reach manual blinds.





Installation kit

£31.20 ZOZ 229S



For installation of anti-heat blackout blind and electric anti-heat blinds (SSS, MSL or MML) on VELUX roof windows from before 2001.

For installation of anti-heat blackout blind and electric anti-heat blinds (SSS, MSL or MML) on VELUX solar and electric top-hung roof windows.

Customer service

Could you use some advice when selecting your blind, or do you have a question about a particular product? Whatever your question, we're here to help and strive to respond promptly to all requests.

Extras for your blinds and shutters



Rod adaptor control bar

£9.60



Mounting brackets

Z0Z 230

£9.60

For installation of blinds with white side channels and electric or solar-powered interior blinds on older VELUX roof windows without pre-installed mounting brackets.



£54.00



velux.co.uk 01592 778225 sales@velux.co.uk VELUX Company Ltd Woodside Way Glenrothes Fife Scotland KY7 4ND

Tel: 01592 778 225

Email: sales@velux.co.uk Website: velux.co.uk

facebook.com/VELUXGBI

- Tatebook.com/VELUXGBI
 pinterest.com/VELUXGBI
 instagram.com/VELUX



